



Weekly Safety Meeting

Your Safety Is Our Business®

Volume 2, Issue 22

May 31st, 2015

Hearing Protection

Noise is unwanted sound that can effect job performance, safety, and your health. Psychological effects of noise include annoyance and disruption of concentration. Physical effects include loss of hearing, pain, nausea, and interference with communications when the exposure is severe.

Hearing protection is essential when noise exposure can't be controlled at its source or sufficient distance cannot be achieved between you and the source. Both earplugs and earmuffs provide a physical barrier that reduces inner ear noise levels and prevents hearing loss from occurring. However, people often resist wearing these or use them incorrectly.

Employees resist wearing hearing protection more than any other type of personal protective equipment. One reason is, they don't think they really need it. But hearing loss occurs so gradually (even in intense exposures) that by the time you notice it, irreversible damage has already occurred. Another reason for not wearing hearing protection is that it can feel uncomfortable. Sometimes workers "spring" the muffs so they don't seal properly against the head or snip off the inner portion of ear plugs leaving only the outer end to fool their supervisor. If you feel the need to do this, see your supervisor about obtaining a different type or style that fits you correctly and comfortably.

Slight initial discomfort may be expected when a good seal between the surface of the skin and the surface of the ear protector is made. The amount of protection you obtain depends on obtaining a good seal. Even a small leak can substantially reduce the effectiveness of the protector. Remember to check the seal several times each day. Protectors, especially ear plugs, have a tendency to work loose as a result of talking or chewing and must be resealed occasionally.

The critical sound level at which hearing protection should be worn is 85 decibels (dBA), established for an 8-hour time weighted average. The louder and longer your exposure, whether at work, at home, or during recreation, the more likely your hearing will be damaged.

Three factors may be used to determine the level of noise:

1. If it is necessary for you to speak in a very loud voice or shout directly into the ear of a person in order to be understood, it is likely that the exposure limit for noise is being exceeded.
2. If you have heard noises and ringing noises in your ears at the end of the work day, you are being exposed to too much noise.
3. If speech or music sounds muffled to you after leaving work, but sounds fairly clear in the morning when you return to work, there is no doubt about your being exposed to noise levels that can eventually cause a partial loss of hearing that can be permanent.

If any of these conditions exist, a safety professional, using a sound level meter, should measure the noise level at various work areas. He or she can then determine whether the exposure is great enough to require personal protection.



Here's how to protect your hearing:

- Reduce the noise reaching your ears. Nothing can totally block sound, but some hearing protection devices block out part of the noise.
- Electronic hearing protection devices permit conversations and warnings to reach the ear but prevent harmful sound-pressure levels. Other electronic hearing protectors pick up and amplify desirable sounds. Some earmuffs or earplugs combine with communication systems for use in noisy areas.
- Earmuffs, filled with liquid or foam, come in various styles for function and comfort. Earmuffs are fitted with a headband made of metal or plastic. Some headbands can be folded or put around the front or back of the neck in various positions. Cooling pads are even available for earmuffs worn in hot work environments.
- Earplugs can be pre-molded to fit all wearers or custom molded to fit exactly. They can be made expandable or non-expandable and may be either reusable or disposable. Earplugs are available on cords you can wear around your neck so you can take earplugs out and put them in easily.
- Ensure your hearing protection is comfortable, fits properly, and is compatible with other personal protective equipment (PPE) such as a hardhat.
- Check out specially-designed hearing protectors made to wear with other PPE. They attach to slots and brackets on hardhats or helmets for combined hearing, head, and face protection.
- Cooperate with your workplace's hearing protection program. Take the regular hearing tests and wear recommended personal protective equipment. Take good care of your PPE by cleaning it according to the manufacturer's recommendations and replacing it as needed.

Prevention begins with identifying noise sources and evaluating workers' exposures to find out if noise exposure is hazardous. When a hazard is found, employers are required to make changes to reduce or eliminate the noise hazard and educate the workforce about noise and hearing conservation.

Hear today gone tomorrow...use your hearing protection!!



Safety Meeting Sign-In Sheet

Supervisor:	Subject:
Location:	Date:
Conducted By:	Trainer Signature:

Name (print clearly)	Signature	Comments / Safety Concerns / Training Requests