

Cold Weather Safety

Employees who work outdoors during the winter months must deal with the hazard of exposure to the cold. Prolonged exposure to freezing temperatures can result in health problems as serious as trench foot, frostbite, and hypothermia. There are several ways of preventing employee exposure to cold weather dangers.

Personal Protective Clothing:

Perhaps the most important step is dressing in layers of insulation. Remember you can always take off excess clothing. You should wear:

- An outer layer to break the wind and allow some ventilation (nylon or gortex);
- A middle layer of wool or synthetic fabric to absorb sweat;
- An inner layer to allow ventilation (cotton); and
- A hat to keep your head covered; you lose up to 55% of your body heat through your head.

Engineering Controls:

- Shield work areas from drafty or windy conditions.
- Provide a heated shelter for employees to get temporary relief from the cold.
- Use thermal insulating material equipment handles.

Safe Work Practices:

- Allow a period of adjustment to the cold before the start of a full work schedule.
- Allow employees to set their own pace and take extra work breaks as needed.
- Ensure that employees remain hydrated lots of liquids.
- Establish a buddy system for working outdoors.
- Be aware of the symptoms of cold-related stress.

Harmful Effects of Cold Weather:

Most cold-related injuries are a result of exposure to humidity, high wind, wet condition, and inadequate clothing. When cold exposure lasts for more than an hour, cooling of your skin and reduced blood flow to your hands leads to a bloated sensation of touch, pain and loss of dexterity and agility.

Employees should be aware of the harmful effects of cold weather, which includes trench foot, frostbite and hypothermia.



Trench Foot

- Is caused by long, continuous exposure to a wet, cold environment;
- Symptoms Tingling or itching sensation, burning pain and swelling. Blisters in extreme cases; and
- Treatment Move individual to a warm, dry area. Where the affected tissue can be treated, carefully wash and dry, re-warm and slightly elevate. Seek medical attention.

Frostbite

- Occurs when the skin tissue actually freezes causing ice crystals to form between cells and draw water from there. Typically occurs at temperature below 30° F;
- Symptoms Uncomfortable sensations or coldness, tingling, stinging or aching feeling, followed by numbness. Ears, fingers, toes, cheeks, and nose are primarily affected. Frostbite appears white and is cold to the touch; and
- Treatment Seek medical assistance immediately. Frostbitten parts should be covered with dry cloth bandages. DO NOT massage frostbitten tissue because this may cause greater injury.

Hypothermia

- Describes the condition of dramatically lowered body temperature that can result from overexposure to cold;
- Symptoms The first symptom is shivering, and mild confusion. As body temperature falls, the victim is in a state of dazed consciousness, blurred speech and irrational behavior. The most severe state results in slowing of the heart rate, blood flow, and breathing; and
- Treatment Seek medical assistance immediately. Conserve the victims remaining body heat and provide additional heat sources. Remove all wet clothing; add layers of dry clothing, blankets, etc. External warming techniques may be applied (body to body contact, chemical heat packs, insulated hot water bottles). Avoid giving beverages containing alcohol or caffeine.

Don't Be "Left Out In The Cold"... Practice Winter Safety!!



2139 TAPO STREET, SUITE 228, SIMI VALLEY, CA 93063-3478 | 888-309-SAFE INFO@SAFETYUNLIMITED.COM | WWW.SAFETYUNLIMITED.COM

Safety Meeting Sign-In Sheet

Supervisor:	Subject:
Location:	Date:
Conducted By:	Trainer Signature:

Name (print clearly)	Signature	Comments / Safety Concerns / Training Requests

2139 TAPO STREET, SUITE 228, SIMI VALLEY, CA 93063-3478 | 888-309-SAFE INFO@SAFETYUNLIMITED.COM | WWW.SAFETYUNLIMITED.COM COPYRIGHT © 2016 SAFETY UNLIMITED, INC